

SUBJECT INDEX TO VOLUME 13

<p>α-N-Acetylgluco-saminidase/TAT chimerae353 expression of353 in cultured <i>Spodoptera frugiperda</i> cells353</p> <p>Acidic extracellular proteases737 from microorganisms of fairly acidic niche737</p> <p>AdaBoost learner489 predicting protein structural class with489</p> <p>AdoMetDC K12R mutant313 structural basis for inactivation of313</p> <p><i>Alcaligenes faecalis</i>177 penicillin acylase from177</p> <p>Allergenic tropomyosins835 cross-reactivities of835</p> <p>Allograft inflammatory factor 1855 crystallization of855 preliminary crystallographic analysis of855</p> <p>Amniotic fluid959 potential biomarkers identification in959 simple model for959 two-dimensional gel electrophoresis based technologies for959</p> <p>Amyloid271 high pressure modulates formation of271</p> <p>Amyloid research213 developments in213 historical survey of213</p> <p>Amyloidogenicity279 combinatorial approaches to probe279 sequence determinants of279</p> <p>Anti-CETP antibodies151 ELISA assay for151 western blot assay for151</p> <p>Antimicrobial peptide53 against <i>Pseudomonas</i> isolated from patient with gallstones53 antibiotic activity of53</p> <p>Arginine kinase405 characterization of405 purification of405</p> <p>Atomic force microscope261 amyloid in261</p> <p>Autoantibody reaction109 to myelin basic protein109 by plasma parvovirus B19 IgG in MS patients ...109</p>	<p>B-cell epitope prediction743 structural-energetic basis for743</p> <p>Bovine pancreatic447 function of447 structure of447</p> <p>Bovine tau-preparations617 characterization of617</p> <p>Bovine uricase363 properties of363 purification of363</p> <p>Calmodulin455 protein-peptide interaction studies of455 target protein binding of455</p> <p><i>Canavalia brasiliensis</i> lectin (ConBr)1045 expression of1045 in tobacco plants1045</p> <p><i>Canis familiaris</i>349 characterization of349 odorant-binding protein from349 purification of349</p> <p>Capillary-channeled polymer (C-CP) fiber columns95 ultrafast protein separations with95</p> <p>Cardioprotective peptide21 cardiac KATP channels in adult rat activation by21</p> <p>cDNA encoding1029 analysis of1029 characterization of1029 cloning of1029 expression of1029</p> <p>Chitinase D951 crystallization of951 from <i>Bacillus circulans</i> WL-12951 X-ray analysis of catalytic domain of951</p> <p>Cholesterol1 role of1</p> <p>Co-chaperones693 activity of693 affect of693 Hsp70 regulatory693 mechanism of action of693</p>
---	--

Copper	443	Extrinsic 23 kDa protein	539
identification of histidine-60 interaction with	443	tyrosine residues of	539
in activation of <i>Chironomidae ferrochelartase</i>	443	interaction with spinach PSII membranes	539
Cowpea seed defensin	1029	Fastuosain	83
analysis of	1029	as cysteine peptidase	83
characterization of	1029	cloning of	83
cloning of	1029	isolated from fruits of <i>Bromelia fastuosa</i>	83
expression of	1029	preliminary functional characterization of	83
Cyclophilin B gene	727	primary sequence of	83
characterization of	727	FBP11/HYPA	197
from anaerobic fungus <i>orpinomyces</i> sp. strain		active WW domains of	197
PC-2	727	expression of	197
high level expression of	727	purification of	197
Cysteine protease bleomycin hydrolase	119	FBP28/ CA150	197
processing of amyloid β -peptides by	119	active WW domains of	197
Cytochrome C	773	expression of	197
from rice mitochondria	773	purification of	197
quantitative analysis of	773		
		G ⁱ³ -RGS5	945
Deciphering signaling control	467	expression of	945
by phosphoroteome using mass spectrometry	467	from human with GDP/Mg ²⁺ /AlF ₄ ⁻	945
Dippu-AST 8 neuropeptide	1007	purification of	945
conformational features of	1007	X-ray crystallographic analysis of	945
from cockroach <i>Diploptera punctata</i>	1007	<i>Ginkgo biloba</i>	15
Dodecapeptide	673	novel plastocyanin containing phenylalanine	
		-83 from	15
Endomorphins	1037	β -Glucosidase B	113
effect on endothelium-dependent relaxation of		effect of new ionic pair on	113
rabbit aorta rings	1037	unfolding activation barrier of	113
Enzyme	177	Glutamic acid rich protein	653
structure-based stabilization of	177	cDNA sequence coding for	653
Eph/Ephrin membrane proteins	193	expressed in cassava storage roots	653
mammalian expression vector pTIg-BOS-Fc		Growth-blocking peptide (GBP)	815
for	193	and receptor of insect immune cells	815
Erbin	877	N-terminal mutational analysis of	815
interaction partners of	877	Guanidine modified co(II)-cytochrome C complex	773
PDZ domain of	877	adsorptive polarographic wave of	773
<i>Erythrina lysistemont</i>	581	H2O2	401
spectroscopic studies on	581	apoptosis induced by	401
<i>Escherichia coli</i> quinolinate phosphoribosyltransferase	163	H5N1 hemagglutinins	971
LYS70 of	163	from influenza A virus	971
Exendin-4 dimer	823	prediction of mutations in	971
expression of	823	Haloarchaeal nucleoside diphosphate kinase	611
in <i>Escherichia coli</i>	823	expression of	611
interaction with GLP-1 receptor <i>in vitro</i>	823	via porin promoter in moderately halophilic	
purification of	823	bacteria	611

Halophilic nucleoside diphosphate kinase sequence	525	Human epidermal growth factor	785
contribution of	525	high-level expression of	785
effect on heat stability of chimeric molecule	525	SUMO fusion in <i>Escherichia coli</i>	785
Heat shock proteins (HSP)	699	Human ERp29	753
modulation of function of	699	Purification of	753
substrate specificity of	699	structural characterization of	753
Hemagglutinins	601	Human hemoglobin α -chain	101
determination of mutation trend in	601	pattern of positions sensitive to mutations in	101
translation probability between RNA codons/ mutated amino acids in	601	Human intracellular chloride channel protein CLIC4	641
Hen egg white lysozyme	769	crystallization of	641
stability curve of	769	expression of	641
Hepatocyte nuclear factor-6 α	531	preliminary crystallographic analysis of	641
crystallization of	531	purification of	641
complexed with DNA	531	Human parvovirus IgG ELISA	109
DNA-binding domain of	531	Human rho-kinase I (ROCK 1) domain	369
preliminary X-ray studies of	531	characterization of	369
Heterocomplexes	391	expressed in Sf-9 insect cells	369
network analysis of	391	expression of	369
protein chain tertiary structures of	391	purification of	369
HIV gp41 wild-type	477	Human spindlin1	203
thermostability of	477	crystallization of	203
HIV-1 rev	805	effect on ovarian cancer-related protein	203
antimicrobial properties of	805	expression of	203
nuclear diffusion inhibitory signal of	805	preliminary x-ray analysis of	203
HIV-1 rev NLS	1025	purification of	203
antiviral properties of	1025	Human UDP-glucose dehydrogenase	859
combination peptides of	1025	crystallization of	859
Homodipeptides	889	expression of	859
amorphous protonated forms of	889	preliminary X-ray analysis of	859
solid state linear-polarized IR-spectroscopy of ...	889	purification of	859
stereo-structural prediction of	889	Human β -casomorphin-7	169
HSCARG	955	effect on binding of ^3H -spiperone to 5-HT $_2$ - receptors of rat brain frontal cortex	169
crystallization of	955	Human β -defensin-2 gene	155
from <i>Homo sapiens</i>	955	high-level expression of	155
protein expression of	955	with rare codons in <i>E. coli</i> cell-free system	155
X-ray crystallographic studies on	955	Hyperthermophilic enzymes	645
Human cholesteryl ester transfer protein (CETP) B cell epitopes	143	industrial applications of	645
asparaginase display of	149	Immobilized glucoamylase	665
for inducing high titers of anti- CETP antibodies <i>in vivo</i>	149	from <i>Arachniotus citrinus</i>	665
Human cytosolic phospholipase A $_2$	91	from mesophilic fungus	665
Ca $^{2+}$ binding effects on	91	kinetic/thermodynamic properties of	665
C2 domain conformation of	91	Immunoreceptor transmembrane peptides	1017
Human disease	219	effect on natural killer (NK) cell cytotoxicity ...	1017
consequences for	219	Influenza A virus	143,377
protein aggregation in	219	fate of proteins of	377

hemagglutinins by means of amino-acid	143	Maltose-binding protein	431
timing of mutation in	143	as fusion tag	431
Insulin derivative with α lipoic acid	135	Mass spectrometry	255
biological activity of	135	amyloid fibril formation from	255
characterization of	135	Mastoparans	629
chemically modified	135	crystallization of	629
synthesis of	135	preliminary X-ray diffraction analysis of	629
Insulin/single-chain insulin	423	Matrix-assisted laser desorption ionization time-of-flight	
in vitro folding/unfolding of	423	mass spectrometry	761
Integrin β A domain	431	search of TM segments in polytopic membrane	
solubility of	431	protein using	761
Juxtaposed half-cystines	577	Melittin	719
as disulphide bridged partners	577	bacterial cell selective of	719
in protein tertiary structure	577	effect of single Trp mutation with a peptoid	
KcsA protein	77	residue	719
monomers of	77	Membrane lipid	1
Lactate dehydrogenase	555	composition of	1
effect of trimethylamine <i>N</i> -oxide	555	Mitochondria-regulated death pathway	129
KCI-perturbation of	555	mediates (DIPP- <i>L</i> -Leu) ₂ - <i>L</i> -LysOCH ₃ -induced	
non-additive counteraction of	555	K562 cells apoptosis	129
Laticeptin	411	Monoclonal antibody MN423	941
as antimicrobial peptide	411	crystallization of	941
from skin secretions of <i>Leptodactylus laticepes</i> ..	411	fab fragment of	941
properties of	411	preparation of	941
purification of	411	structural aspects of Alzheimer's paired helical	
Lectin	897	filaments	941
antifungal based	897	X-ray analysis of	941
antiproliferative based	897	Multiple sclerosis (MS)	109
from <i>Amaranthus viridis</i> linn seeds	897	Mycobacteriophage L1	793
Leukocyte function-associated antigen-1	397	binding of repressor of	793
application prospects of	397	cognate operator DNA of	793
function of	397	effects of physical/ionic/structural factors on	793
structure of	397	NES	1025
Loop mutations	477	antiviral properties of	1025
thermostability of	477	combination peptides of	1025
Low molecular weight phytocystatin	323	Neural network	733
Malate dehydrogenase	207	predicting helical regions with	733
crystallization of	207	Nitric oxide (NO).....	401
diffraction studies of	207	apoptosis induced by	401
from <i>Streptomyces aureofaciens</i>	207	modified caspase based on	401
		Nitric oxide synthase inhibitor	993
		role on antinociceptive effects of μ -opioid	
		agonist in mice	993
		NO-cGMP pathway	1037
		high D-glucose condition <i>via</i>	1037

Nocistatin	185	Peroxidase	799
effect on nociceptin inhibited constrictions of		from local chick pea cultivar	799
guinea pig isolated bronchus	185	purification of	799
Non-fusogenic interaction	71	thermal characterization of	799
between liposomes and shrimp bifunctional		[Phe ¹ (CH ₂ -NH)Gly ²]nociceptin(1-13)NH ₂	185
lipoprotein-β-glucan binding protein HDL/		effect on nociceptin inhibited constrictions of	
BGBP	71	guinea pig isolated bronchus	185
biophysical characterization of	71	Phospholipase A2 isoform (Bj-V)	707
Novel chemokine analogs	499	cytotoxic action in myoblasts/myotubes	
derived from vMIP-II	499	(C2C12)	707
design of	499	enzymatic characterization of	707
synthesis of	499	form <i>Bothrops jararacussu</i> venom	707
[Nphe ¹]nociceptin(1-13)NH ₂	185	Photo-induced cross-linking	385
effect on nociceptin inhibited constrictions of		α-synuclein oligomerization revealed by	385
guinea pig isolated bronchus	185	Phytase (phy A)	565
Nuclear proteins	981	effect of modification of histidine residue by	
analysis during maize (<i>Zea mays</i> L) endosperm		IAA DEP	565
development	981	kinetics of inactivation of	565
extraction of	981	Poly(A)-specific ribonuclease	125
<i>O</i> -acetylserine sulphydrylase-B	7	activity by methylene blue colorimetry	125
from <i>Salmonella typhimurium</i>	7	nonradioactive assay for	125
three-dimensional homology model of	7	Polyproline helices	847
Opioid receptor-like (ORL ₁) receptor	437	in protein structures	847
Oxidative folding	67	Procerain	545
of conotoxins in immobilized systems	67	effect of β-sheet to α-helix switchover	545
		effect of organic solvents on	545
		molten globule state of	545
P2X1 receptor model	77	Protein	549,921
monomers of	77	accessible surface area of	549
p53 Gene missense mutations	807	aggregation suppression of	921
<i>in silico</i> criterion for prediction of effects of	807	approximation of	549
on p53-Mdm2 feedback loop	807	arginine during thermal unfolding	921
Pancreatic ribonuclease A	673	linear function for	549
aggregation by antibodies	673	Protein aggregation	279,287
inhibition of	673	combinatorial approaches to probe	279
Paralithodes camtschatica metalloprotease	571	sequence determinants of	279
cDNA cloning of	571	theoretical approaches to	287
properties of	571	Protein bioinformatics	733
purification of	571	amino acid residues in	733
Pardaxin	1	Protein conformation	29
interaction of	1	fragment library-based representation	
Peptide	659	system for	29
characterization of	659	Protein-DNA complexes	929
<i>in vitro</i>	659	crystallization space for	929
produced in <i>Escherichia coli</i>	659	statistical analysis of 15 dimensions in	929
refolding of	659		

Protein folding	883	over-expression of	513
implications of folding/misfolding studies of	883	purification of	513
snapshots of	883	Recombinant RGD-hirudin	47
Protein p43	687	by vibrational/circular dichroism spectroscopy	47
multisynthetase complex auxiliary		structure study of	47
component of	687	Recombinant transmembrane protein CB2 fragment	
structure modeling of N-terminus of	687	CB2 ₁₈₀₋₂₃₃	335
web-ware bioinformatical analysis of	687	NMR characterization of	335
Protein-protein interacting sties	999	Resting human neutrophils	481
evolutionary information of	999	proteome analysis of	481
using residue conservation	999	Ribonuclease inhibitor	779
Protein purification	193	from goat liver	779
Protein secondary structure prediction	985	isolation of	779
by combining multiple predictions	985	partial characterization of	779
Protein tau	679	rTERTb	59
as RNA binding domains	679	as inactive TERT variant	59
microtubule binding domain of	679	in adult rat brain	59
proline-rich domain of	679	predominant expression of	59
Proteolytic cleavage	471	S100P protein	301
structure formation in short designed peptides		dimerization of	301
probed by	471	ion binding properties of	301
<i>Pseudocerastes persicus</i> natriuretic peptide	295	<i>Saccharomyces cerevisiae</i>	915
structural and functional characterization of	295	expression of human tyrosine kinase in	915
Quantitative preparative native continuous polyacrylamide		inhibitor screening of	915
gel electrophoresis (QPNC-PAGE)	503	lack in	915
contributions of	503	Sau3AI C-Terminal 233-419 fragment	627
for elucidating metal cofactor metabolisms in		crystallization of	627
protein-misfolding diseases	503	preliminary X-ray analysis of	627
Quasielastic light scattering study	247	Scorpion <i>Buthotus saulcyi</i> venom	659
of amyloid β -protein fibril formation	247	peptide from	659
Rattlesnake hemoglobins	517	Seed-lectin	581
functional properties of	517	effect of denaturing agents on lectin	581
tetrameric stability of	517	quaternary structure of	581
Reactive peptide crosslinker	715	Serine proteinases	535
by selective deprotection	715	in blood coagulation cascade	535
solid-phase synthesis of	715	<i>in vitro</i>	535
Recombinant human glucagon	343	investigation of	535
overexpressed as intein fusion protein in		kinetic parameters of	535
<i>Escherichia coli</i>	343	Shiga toxin (Stx) 1	509
production of	343	for production of active recombinant protein	
purification of	343	in <i>E. coli</i>	509
Recombinant protein	513	<i>N</i> -terminus leader sequence of	509
crystallographic studies of	513	<i>Shigella flexneri</i>	513
		periplasmic glutamate/aspartate binding protein	
		from	513

Signal transduction	437	Termostable sweet protein mabinlin II	319
G _{oA} /G _{oB} for	437	crystallization of	319
Smu. 1392	1051	preliminary X-ray analysis of	319
crystallization of	1051	Thermophilic/mesophilic proteins	965
from <i>Streptococcus mutans</i>	1051	based on amino acid composition	965
protein preparation of	1051	support vector machine for discrimination of	965
X-ray crystallographic studies of	1051	Thiol protease inhibitor	323
Snake venom fibrinolytic enzyme fibrolase	559	purified from <i>Phaseolus mungo</i>	323
effect of co-expression of DsbC in		unfolding during urea denaturation of	323
<i>Escherichia coli</i>	559	Transformation	829
expression of	559	of biologically active peptide into peptoid	
Solid phase peptide synthesis	189	analogues	829
evaluation of water-soluble coupling		Transmembrane protein α -helices	595
reagents for	189	novel graphical technique for	595
in aqueous media	189	prediction of hydrophobicity gradients in	595
in water	189	Trifluoroethanol	545
Solid-state NMR	229	Tumor suppressor gene <i>PP5715</i>	41
as probe of amyloid structure	229	expression of	41
Solution NMR spectroscopy	235	in <i>E. coli</i> with growth inhibition of	
unfolded neuronal tau protein by	235	hepatocellular carcinoma cells	41
Strained phenylalanine ring rotation	977	purification of	41
induced by substrate binding to cytochrome		Two-dimensional infrared correlation spectroscopy	33
CYP102A1	977	sequential events in ribonuclease A thermal	
role for	977	unfolding characterized by	33
Subtilisin kexin isozyme-1	863	Tyrosine sulfation	357
design of novel inhibitors of	863	of arylsulfatase A	357
multibranch/pseudopeptide approach for	863	of peptide	357
Synthesis	493	Urocortin	21
of peptidyl ureas employing <i>O</i> -succinimidyl-		cardiac KATP channels in adult rat activation by	21
(9 <i>H</i> -fluoren-9-ylmethoxycarbonyl-amino)		VDJ genes	587
methylcarbamate derivatives	493	data mining of	587
α -Synuclein derived peptide	331	Yeast tyrosyl-tRNA synthetase	417
chaperone-like activity of	331	complexed with/cognate tRNA	417
cyclization of	331	crystallization of	417
Target peptide recognition	307	preliminary X-ray crystallographic analysis of	417
by S100P protein	307	Zebrafish caspase-3	633
role of central linker region/dimer interface	307	characterization of	633
Terminal domain	907	crystallization of	633
hemagglutinin proteolysis in octylglucoside		molecular cloning of	633
micelles	907	phylogenetic analysis of	633
influenza virus A hemagglutinin C-	907		
isolation of	907		